



International Products

C O R P O R A T I O N

201 Connecticut Drive | Burlington, NJ 08016 | USA
609-386-8770 | Fax: 609-386-8438 | www.ipcol.com

Storage & Handling Procedures for Aqueous Cleaners

Micro-90[®]
Surface-Cleanse/930[®]

Micro Green Clean[®]
Zymit[®]

LF2100[®]
Zymit Pro[®]

Micro[®] A07

1. Store between 5°—30°C (40°—90°F) in a cool, dry, well-ventilated area. Protect containers from sunlight and keep closed when not in use. Use only stainless steel, polyethylene, or plastic-lined containers for storage. Do not store Micro-90, Micro Green Clean or LF2100 in contact with aluminum, zinc, copper or their alloys.
2. Dilute before use. Typically a 1.0%—2.0% solution will be effective.
3. For proper inventory control, it is best to use the oldest product first. Each container has a lot number that gives the date (yymmdd) that the material was produced. This will prevent using new material when older stock is available.
4. Compatible with most metals, plastics and other hard surfaces; however, users are encouraged to ensure their parts are compatible with these cleaners before they are put into production. Compatibility studies for common metals and plastics are available.
5. Cleaning action may be improved by increasing temperature, dwell time, concentration and by using ultrasonics or agitation.
6. **DO NOT MIX CLEANERS WITH OTHER PRODUCTS.**
7. For safety details, please refer to the appropriate Materials Safety Data Sheet (MSDS) which can be downloaded from our website: www.ipcol.com, or requested by calling 609-386-8770.

Specifications

Product	Specific Gravity (g/ml @ 25°C)	pH (concentrate)	Maximum suggested operating temperature	Shelf Life
Micro-90	1.130 – 1.145	9.0 – 9.9	65°C (149°F)	5 years
Micro Green Clean	1.050 – 1.110	9.0 – 10.0	65°C (149°F)	1 Year
LF2100	1.160 – 1.180	9.0 – 9.9	65°C (149°F)	5 years
Micro A07	1.120 – 1.160	2.0 – 3.0	65°C (149°F)	2 years
Surface-Cleanse/930	0.990 – 1.010	5.5 – 7.5	50°C (122°F)	5 years
Zymit Low-Foam	1.025 – 1.065	6.9 – 8.4	55°C (131°F)	2 years
Zymit Pro	1.040 – 1.120	6.9 – 8.4	55°C (131°F)	2 years

For Sales and Service in Europe

Unit 5, Green Lane Business Park | 238 Green Lane London SE9 3TL | U.K
Phone: 020-8857-5678 | Fax: 020-8857-1313 | saleseurope@ipcol.com | www.ipcol.com